

## M.A.T 1220, 2023

The MAT 1220 is designed for a new generation of IRC racers for MAT, emphasising versatility both in performance profile and configurations. Because it is not an extreme typeform with a medium sized sail plan and reasonable displacement, stability and draft, it's also optimized for ORC.

The premise for the boat is to produce a modern light design that is equally at home offshore as inshore. The design combines features such as medium displacement, greater emphasis on bow overhang, fin keel of moderate draft, and a number of sail plan tweaks to arrive at a very competitive both inshore and offshore. The base rating for the fin keel version with the fin keel and a squaretop it could go up to 1.190.

The deck and styling with a large cockpit offer an optimal platform for high level racing as open space for fun family sailing. The interior can be completed to a range of fitouts from stripped racing to offshore racing to family racer/cruiser. Working with engineer Steve Koopman of SDK Structures we have configured the boat to be as versatile as possible.

The boat has been modified to suit the ORC rule, with lot of hours spend to achieve the right handicap without losing speed in the water.

Special cradle for transportation on land. Cradle both for boat and keel. Seldén mast divisible for easier transportation

#### Location:

Kristinehamn, Sweden

### Measurements:

Length overall: 12.20m

Beam: 3,96m Draught: 2,50m Displacement: 5.250kg

### **Construction:**

Hull, deck, bulkheads and all interior components in PVC foam cored composite glass sandwich. Vacuum assisted resin infusion. Laminated assembly of all components to hull and deck. Carbon fiber reinforced structural grid for keel and mast loads

### **Hull:**

Hull color: White gelcoat Bottom color: Nautix racing

Keel: Lead fin, fully CNC shaped lead fin keel cast around duplex stainless steel keel spar, draft 2.50m

**Rudder and Steering:** Isotop made prepreg carbon autoclave cured rudder and stock. Jefa self-aligning high performance rudder bearings. 900 mm Carbonautica GFC composite twin wheels

### Motor:

Ocean volt SD15 motor 15 kW with Piccolo 5, 3.3 kW 220 V removable diesel power plant and a removable 40 L diesel tank.

Two blade folding Gori racing propeller

## Tank capacities:

Water tank: 200L Diesel tank: 40L Holding tank: 40

#### Deck:

8 x Seldén Performa 52 STP black winches for primaries, main sheet and backstay

Seldén mainsheet track 6:1 up down purchase and 2:1 mainsheet to winch

Seldén transverse jib tracks and ball bearing cars allowing up to 5 degrees sheeting angle

Seldén Black Magic ball bearing halyard lead blocks

Seldén Black Magic ball bearings primary blocks

Seldén composite control blocks

4 of Spinlock XX and 5 of XCS clutches

Custom alloy fairleads

Custom stainless-steel chainplates recessed in hull

Composite mast collar

SS stanchions, pulpit and pushpit with socketed to laminated bases

5 mm SS lifelines, Blue Wave terminals

Optional black composite stanchions and fluorescent synthetic lifelines

1 opening Lewmar foredeck hatch

2 opening Lewmar portlights

4 opening Lewmar flush hatches

Big Lewmar flush hatch in the back, size 70

Custom laminated tempered security glass coachroof windows

Recessed companionway sliding hatch

#### **Electrics:**

48 V system

20 kWh Lithium battery, 4 st x 5 kWh each

Batteries are movable - with 3 different mounting points - depending on rating system.

3 st 1.6 kW 220 V to 48 V chargers with separate stern connectors to charge from multiple sources.

Victron Cerbo display

48 V to 12 V Victron converter

12V 120 Ah Lithium battery

Piccolo 5 3.3 kW 220 V removable diesel power plant

Galvanic Isolator

Shore power

Victron Smart BatteryProtect 12/24V-220A

Victron LiFePO4 Battery 12,8V/200Aha – Smart - 2020

Victron VE.Bus BMS

Victron Cyrix-Li-ct 12/24V-230A combiner

Blue Smart IP22 Charger 12/20

IP300P/DSP BEP Fuse ANL 300A

1 x USB 12V outlets + 1 x 12v outlets

Almost all the electrical wiring has been renewed in 2022

### **Electronics:**

BG 12" Nemesis mast display

BG H5000 Hercules processor

BG H5000 display

**BG Precision 9 Compass** 

BG Depth, Speed and Wind sensor

BG V60B VHF and AIS

2 st Navstations with 27" 4k displays with wireless keyboard and trackball.

POE Ethernet system

Acksys AirWan17 industrial Wifi, Router and 4G modem

Nuvo5000 industrial Windows PC with Expedition

### Interior:

Bulkheads and interior components in PVC foam cored composite glass sandwich

### **Forward Cabin:**

Removable double bed

Two lockers with removable oak doors

Radiator

Step to get out through the hatch

Bed lights

Prepared for 12 V phone charging

### Central cabin:

Lightweight composite companionway ladder for easy access to engine

2 mesh pipe cots over bunks serve as backrest when folded down

Lightweight composite nonskid floorboards

Aluminium handrail

Table

Cabinet removable

2x Radiators

2x bunks

Oak floorboards and a racing floorboard

White and red LED light

## Galley:

Aluminium handrail

Storage under sink

Cabinet removable

Gas stove and furnace

Refrigerator

Hot water system 30 L removable

## **Enclosed heads:**

Aluminium handrail

Shower

Waste tank with cover and deck suction connection.

Radiator

Cabinet removable

Oak door removable

Can Marine hand basin

Jabsco marine manual toilet

## Aft cabins:

Extra window

4k navigation screen

Big storage compartment in the middle.

2x bunks

2x beds with sea bunk solution. Can be extended to double beds.

Phone fast charger on starboard.

Bed lights

# Mast and rigging:

Fractional sloop

Selden Carbon mast and boom.

Carbon mast, with carbon spreaders

Carbon boom - outhaul in boom with purchase system

Reef system with jammers included

Carbon rodkick with double windward sheeting

VHF antenna in mast top

Divisible mast for transportation

Alfalock halyard lock Main, Jib and Code 0

Halyards 2 jib, 1 fractional, 1 Code 0, 2 gennark, 1 main

Deck lightning - flood light

Mast Jack hydralic

Antal rail for rope and batcar system on mast

All Seldén deck gear - winches - blocks - winch handels

2 tacklines

Solution for spinnaker staysail

Solution for genua staysail

Jib cunningham for Helix North Sails

Jib barberhaul - double system - windward trimming

Liros Ropes - racing professional lines

### Sails:

North 3Di pinhead mainsail for transport Albatross Jib M for transport

All sails from North Sails, 2023 in very good condition

Square Top Mainsail 3Di RAW 870 16.800 Dpi Jib I Light/Medium 3Di RAW 870 12,600 Dpi Jib 2 Medium/Heavy 3Di RAW 870 76,800 Dpi J3 Heavy 3Di RAW 87019,600 Dpi Jib 3.5 Heavy Weather OSR Max NPL SportXi Aramid NL.Xil8Tv2

A 1 Asymmetric Airx 600 – 500 N
A 2 Asymmetric Airx 600 – 500 N BAIN
A6 Asymmetric Superkote SK 130

Code Zero (75% smg) 3Di Downwind 706, 7,560 Dpi Spinnaker Staysail NPL Code Xi Xi04 CD U

## Others:

Baltic recovery sling

Jon Bouy inflatable horseshoe 1 x horse with light, draught and whistle

Heaving line

Manual bilge pump with double pump system (one in cockpit one in port cabin, connected, but can be used only from outside as well) and 1 electric pump installed

Shower drain with a split so that can be used for pumping water out of the bilge as well

Fenders

Mooring lines

## Option:

Cradle for storage with splashes

Annual inspection and services done since new. Blue Ocean Oy Ab reserves the right to changes in this specification list. The boat and mast are stored in a boathouse when she is launched.